

Chapter 7 - References

- Abe, T. & Fukunaga, T. 1995, *Nihon jin no taishibou to kinniku bunpu [Jap]*, Kyorin shoin, Tokyo.
- Abraham, S. F., Mira, M., Beumont, P. J. V., Sowerbutts, T. D. & Liewellyn-Jones, D. 1983, 'Eating behaviours among young women', *The Medical Journal of Australia*, no. 3, pp. 225-228.
- Abrams, K. K., Allen, L. R. & Gray, J. J. 1993, 'Disordered eating attitudes and behaviors, psychological adjustment, and ethnic identity: A comparison of Black and White female college students', *The International Journal of Eating Disorders*, vol. 14, no. 1, pp. 49-57.
- Agras, S., Hammer, L. & McNicholas, F. 1999, 'A prospective study of the influence of eating-disordered mothers on their children', *The International Journal of Eating Disorders*, vol. 25, pp. 253-262.
- Ahmad, S., Waller, G. & Verduyn, C. 1994, 'Eating attitudes among Asian schoolgirls: The role of perceived parental control', *The International Journal of Eating Disorders*, vol. 15, no. 1, pp. 91-97.
- Allebeck, P., Hallberg, D. & Espmark, S. 1976, 'Body image-An apparatus for measuring disturbances in estimation of size and shape', *Journal of Psychosomatic Research*, vol. 20, pp. 583-589.
- Alley, T. R. 1991, 'Visual detection of body weight change in young women', *Perceptual and Motor Skills*, vol. 73, pp. 904-906.
- Altabe, M. 1998, 'Ethnicity and body image: Quantitative and qualitative analysis', *The International Journal of Eating Disorders*, vol. 23, no. 2, pp. 153-159.
- Altabe, M. & Thompson, J. K. 1990, 'Menstrual cycle, body image, and eating disturbance', *The International Journal of Eating Disorders*, vol. 9, no. 4, pp. 395-401.
- Anderson, G. 2003, 'Body fat testing: Weighing the option', *Fitness Trainer Canada*, vol. 3, no. 4, pp. 20-23.
- Anuurad, E., Shiwaku, K., Nogi, A., Kitajima, K., Enkhmaa, B., Shimono, K. & Yamane, Y. 2003, 'The new BMI criteria for Asians by the regional office for the Western Pacific region of WHO are suitable for screening of overweight to prevent metabolic syndrome in elder Japanese workers', *Journal of Occupational Health*, vol. 45, pp. 335-343.
- APA (ed.) 2000, *Diagnostic and statistical manual of mental disorders-Fourth edition-Text revision*, fourth, text revision edn, American Psychiatric Association, Washington, DC.

- Baecke, J. O. H., Burema, J. & Deurenberg, P. 1982, 'Body fatness, relative weight and frame size in young adults', *The British Journal of Nutrition*, vol. 48, no. 1, pp. 1-6.
- Bailey, S. M., Goldberg, J. P., Swap, W. C., Chomitz, V. R. & Houser Jr., R. F. 1990, 'Relationship between body dissatisfaction and physical measurements', *The International Journal of Eating Disorders*, vol. 9, no. 4, pp. 457-461.
- Barbara, M., Livingstone, E. & Black, A. E. 2003, 'Biomarkers of nutritional exposure and nutritional status', *Journal of Nutrition*, vol. 133, pp. 895S-920S.
- Baumgartner, R. 1996, 'Electrical impedance and total body electrical conductivity', in A. F. Roche, S. B. Heymsfield & T. G. Lohman, (eds.), *Human body composition*, Human Kinetics, pp. 79-107.
- Beebe, D. W. 1995, 'The attention to body shape scale: A new measure of body focus', *Journal of Personality Assessment*, vol. 65, no. 3, pp. 486-501.
- Behnke, A. R. & Wilmore, J. H. 1974, 'Field methods', in A. R. Behnke & J. H. Wilmore, (eds.), *Evaluation and regulation of body build and composition*, Prentice-Hall Inc., Englewood cliffs, pp. 38-52.
- Bell, C., Kirkpatrick, S. W. & Rinn, R. C. 1986, 'Body image of anorexic, obese, and normal females', *Journal of Clinical Psychology*, vol. 42, no. 3, pp. 431-439.
- Benson, P. J., Emery, J. L., Cohen-Tovee, E. M. & Tovee, M. J. 1999, 'A computer-graphic technique for the study of body size perception and body types', *Behavior Research Methods, Instruments, & Computers*, vol. 31, no. 3, pp. 446-454.
- Ben-Tovim, D. & Walker, M. K. 1991, 'The development of the Ben-Tovim Walker body attitudes questionnaire (BAQ), a new measure of women's attitudes towards their own bodies', *Psychological Medicine*, vol. 21, pp. 775-784.
- Ben-Tovim, D. I. & Crisp, A. H. 1984, 'The reliability of estimates of body width and their relationship to current measured body size among anorexic and normal subjects', *Psychological Medicine*, vol. 14, pp. 843-846.
- Ben-Tovim, D. I. & Morton, J. 1990, 'The epidemiology of anorexia nervosa in South Australia', *The Australian and New Zealand Journal of Psychiatry*, vol. 24, pp. 182-186.
- Ben-Tovim, D. I. & Walker, M. K. 1992, 'A quantitative study of body-related attitudes in patients with anorexia and bulimia nervosa', *Psychological Medicine*, vol. 22, pp. 961-969.
- Ben-Tovim, D. I. & Walker, M. K. 1994, 'The influence of age and weight on women's body attitudes as measured by the body attitudes questionnaire (BAQ)', *Journal of Psychosomatic Research*, vol. 38, no. 5, pp. 477-481.

- Beumont, P. J. V., Beardwood, C. J. & Russell, G. F. M. 1972, 'The occurrence of the syndrome of anorexia nervosa in male subjects', *Psychological Medicine*, vol. 2, pp. 216-231.
- Birtchnell, S. A., Dolan, B. M. & Lacey, J. H. 1987, 'Body image distortion in non-eating disordered women', *The International Journal of Eating Disorders*, vol. 6, no. 3, pp. 385-391.
- Bland, J. M. & Altman, D. G. 1986, 'Statistical methods for assessing agreement between two methods of clinical measurement', *Lancet*, vol. February 8, no. 1(8476), pp. 307-310.
- Blokstra, A., Burns, C. M. & Seidell, J. C. 1999, 'Perception of weight status and dieting behavior in Dutch men and women', *The International Journal of Eating Disorders*, vol. 23, pp. 7-17.
- Blouin, A. G. & Goldfield, G. S. 1995, 'Body image and steroid use in male bodybuilders', *The International Journal of Eating Disorders*, vol. 18, no. 2, pp. 159-165.
- Bouchard, C. 1991, 'Heredity and the path to overweight and obesity', *Medicine and Science in Sports and Exercise*, vol. 23, no. 3, pp. 285-291.
- Braun, D. L., Sunday, S. R., Huang, A. & Halmi, K. A. 1999, 'More males seek treatment for eating disorders', *The International Journal of Eating Disorders*, vol. 25, pp. 415-424.
- Brenner, J. B. & Cunningham, J. G. 1992, 'Gender differences in eating attitudes, body concept, and self-esteem among models', *Sex Roles*, vol. 27, no. 7/8, pp. 413-437.
- Brodie, D., Moscrip, V. & Hutcheon, R. 1998, 'Body composition measurement: A review of hydrodensitometry, anthropometry, and impedance methods', *Nutrition*, vol. 14, no. 3, pp. 296-310.
- Brodie, D. A. & Slade, P. D. 1988, 'The relationship between body-image and body-fat in adult women', *Psychological Medicine*, vol. 18, no. 3, pp. 623-631.
- Brooke-Wavell, K., Jones, P. R. M., Norgan, N. G. & Hardman, A. E. 1995, 'Evaluation of near infra-red interactance for assessment of subcutaneous and total body fat', *European Journal of Clinical Nutrition*, vol. 49, pp. 57-65.
- Brown, P. J. & Konner, M. 1998, 'An anthropological perspective on obesity', in P. J. Brown, (ed.) *Understanding and applying medical anthropology*, Mayfield, California, pp. 401-411.
- Brozek, J. & Prokopec, M. 2001, 'Historical note: Early history of the anthropometry of body composition', *American Journal of Human Biology*, vol. 13, pp. 159-161.

- Bruch, H. 1974, *Eating disorders: Obesity, anorexia nervosa, and the person within*, 2 edn, Routledge and Kegan Paul Ltd, London.
- Buhrich, N. 1981, 'Frequency of presentation of anorexia nervosa in Malaysia', *The Australian and New Zealand Journal of Psychiatry*, vol. 15, pp. 153-155.
- Bunnell, D. W., Cooper, P. J., Hertz, S. & Shenker, I. R. 1992, 'Body shape concerns among adolescents', *The International Journal of Eating Disorders*, vol. 11, no. 1, pp. 79-83.
- Byrne, N. M. & Hills, A. P. 1997, 'Correlations of body composition and body-image assessments of adolescents', *Perceptual and Motor Skills*, vol. 84, p. 1330.
- Caldwell, M., Brownell, K. D. & Wilfley, D. E. 1997, 'Relationship of weight, body dissatisfaction, and self-esteem in African American and White female dieters', *The International Journal of Eating Disorders*, vol. 22, pp. 127-130.
- Carlat, D. J. & Camargo Jr, C. A. 1991, 'Review of bulimia nervosa in males', *The American Journal of Psychiatry*, vol. 148, no. 7, pp. 831-843.
- Carr-Nangle, R. E., Johnson, W. G., Bergeron, K. C. & Nangle, D. W. 1994, 'Body image changes over the menstrual cycle in normal women', *The International Journal of Eating Disorders*, vol. 16, no. 3, pp. 267-273.
- Carter, J. E. L. & Heath, B. H. 1990, *Somatotyping-Development and application*, Cambridge University Press, Cambridge.
- Cash, T. F. 1990, 'The psychology of physical appearance: Aesthetics, attributes, and images', in T. F. Cash & T. Pruzinski, (eds.), *Body images: Development, deviance and change*, The Guildford Press, New York, pp. 51-79.
- Cash, T. F. & Hicks, K. L. 1990, 'Being fat versus thinking fat: Relationships with body image, eating behaviours, and well-being', *Cognitive Therapy and Research*, vol. 14, no. 3, pp. 327-341.
- Cassady, S. L., Nielsen, D. H., Janz, K. F., Wu, Y.-T., Cook, J. S. & Hansen, J. R. 1993, 'Validity of near infrared body composition analysis in children and adolescents', *Medicine and Science in Sports and Exercise*, vol. 25, no. 10, pp. 1185-1191.
- Cattarin, J. A. & Thompson, J. K. 1994, 'A three-year longitudinal study of body image, eating disturbance, and general psychological functioning in adolescent females', *Eating Disorders*, vol. 2, no. 2, pp. 114-125.
- Clarys, J. P., Martin, A. D. & Drinkwater, D. T. 1984, 'Gross tissue weight in the human body by cadaver dissection', *Human Biology*, vol. 56, no. 3, pp. 459-473.
- Clarys, J. P., Martin, A. D., Drinkwater, D. T. & Marfell-Jones, M. J. 1987, 'The skinfold: myth and reality', *Journal of Sports Sciences*, vol. 5, no. 1, pp. 3-33.

- Cohane, G. H. & Pope Jr, H. G. 2001, 'Body image in boys: A review of the literature', *The International Journal of Eating Disorders*, vol. 29, pp. 373-379.
- Cohn, L. D., Adler, N. E., Irwin Jr., C. E., Millstein, S. G., Kegeles, S. M. & Stone, G. 1987, 'Body-figure preferences in males and female adolescents', *Journal of Abnormal Psychology*, vol. 96, no. 3, pp. 276-279.
- Collins, M. E. 1991, 'Body figure perceptions and preferences among preadolescent children', *The International Journal of Eating Disorders*, vol. 10, no. 2, pp. 199-208.
- Craig, P. L. & Caterson, I. D. 1990, 'Weight and perceptions of body image in women and men in a Sydney sample', *Community Health Studies*, vol. 14, no. 4, pp. 373-381.
- Craig, P. L., Swinburn, B. A., Matenga-Smith, T., Matangi, H. & Vaughan, G. 1996, 'Do polynesians still believe that big is beautiful? Comparison of body size perceptions and preferences of Cook Islands, Maori and Australians', *The New Zealand Medical Journal*, vol. 109, no. 1023, pp. 200-203.
- Crawford, D. A. & Worsley, A. 1988, 'Dieting and slimming practices of South Australian women', *The Medical Journal of Australia*, vol. 148, no. 4, pp. 325-329.
- Crisp, A. H., Callender, J. S., Halek, C. & Hsu, L. K. G. 1992, 'Long-term mortality in anorexia nervosa', *The British Journal of Psychiatry*, vol. 161, pp. 104-107.
- Crisp, A. H., Palmer, R. L. & Kalucy, R. S. 1976, 'How common is anorexia nervosa? A prevalence study', *The British Journal of Psychiatry*, vol. 128, pp. 549-554.
- Crisp, A. H. & Toms, D. A. 1972, 'Primary anorexia nervosa or weight phobia in the male: Report on 13 cases', *British Medical Journal*, vol. 1, pp. 334-338.
- Crow, S., Praus, B. & Thuras, P. 1999, 'Mortality from eating disorders-A 5- to 10-year record linkage study', *The International Journal of Eating Disorders*, vol. 26, pp. 97-101.
- Cumming, W. J. K. 1988, 'The neurobiology of the body schema', *The British Journal of Psychiatry*, vol. 153, no. suppl. 2, pp. 7-11.
- Curb, J. D. & Marcus, E. B. 1991, 'Body fat and obesity in Japanese Americans', *American Journal of Clinical Nutrition*, vol. 53, pp. 1552S-1555S.
- Cusumano, D. L. & Thompson, J. K. 1997, 'Body image and body shape ideals in magazines: Exposure, awareness, and internalization', *Sex Roles*, vol. 37, no. 9/10, pp. 701-721.

- Dalton, M., Cameron, A. J., Zimmet, P. Z., Shaw, J. E., Jolley, D., Dunstan, D. W. & Welborn, T. A. 2003, 'Waist circumference, waist-hip ratio and body mass index and their correlation with cardiovascular disease risk factors in Australian adults', *Journal of Internal Medicine*, vol. 254, no. 6, pp. 555-63.
- Davis, C., Durnin, J. V. G. A., Dionne, M. & Gurevich, M. 1994, 'The influence of body fat content and bone diameter measurements on body dissatisfaction in adult women', *The International Journal of Eating Disorders*, vol. 15, no. 3, pp. 257-263.
- Davis, C. & Katzman, M. A. 1999, 'Perfection as Acculturation: Psychological correlates of eating problems in Chinese male and female students living in the United States', *The International Journal of Eating Disorders*, vol. 25, pp. 65-70.
- Davis, C. & Yager, J. 1992, 'Transcultural aspects of eating disorders: A critical literature review', *Culture, Medicine and Psychiatry*, vol. 16, pp. 377-394.
- Davis, J. & Oswalt, R. 1992, 'Societal influences on a thinner body size in children', *Perceptual and Motor Skills*, vol. 74, pp. 697-698.
- Desmond, S. M., Price, J. H., Hallinan, C. & Smith, D. 1989, 'Black and White adolescents' perceptions of their weight', *The Journal of School Health*, vol. 59, no. 8, pp. 353-358.
- Deurenberg, P. 2001, 'Universal cut-off points for obesity are not appropriate', *The British Journal of Nutrition*, vol. 85, pp. 135-136.
- Deurenberg, P., Deurenberg-Yap, M. & Guricci, S. 2002, 'Asians are different from Caucasians and from each other in their body mass index/body fat per cent relationship', *Obesity Reviews*, vol. 3, pp. 141-146.
- Deurenberg, P., Yap, M. & Staveren, W. A. v. 1998, 'Body mass index and percent body fat: a meta analysis among different ethnic groups', *International Journal of Obesity*, vol. 22, pp. 1164-1171.
- Deurenberg-Yap, M., Chew, S. K. & Deurenberg, P. 2002, 'Elevated body fat percentage and cardiovascular risks at low body mass index levels among Singaporean Chinese, Malays and Indians', *Obesity Reviews*, vol. 3, pp. 209-215.
- Dickson-Parnell, B., Jones, M. & Braddy, D. 1987, 'Assessment of body image perceptions using a computer program', *Behavior Research Methods, Instruments, & Computers*, vol. 19, no. 3, pp. 353-354.
- Dolan, B. 1991, 'Cross-cultural aspects of anorexia nervosa and bulimia: A review', *The International Journal of Eating Disorders*, vol. 10, no. 1, pp. 67-78.

- Dolan, B. M., Birtchnell, S. A. & Lacey, J. H. 1987, 'Body image distortion in non-eating disordered women and men', *Journal of Psychosomatic Research*, vol. 31, no. 4, pp. 513-520.
- Dolce, J. J., Thompson, J. K., Register, A. & Spana, R. E. 1987, 'Generalization of body size distortion', *The International Journal of Eating Disorders*, vol. 6, no. 3, pp. 401-408.
- Donath, S. M. 2000, 'Who's overweight? Comparison of the medical definition and community views', *The Medical Journal of Australia*, vol. 172, no. 8, pp. 375-377.
- Drewnowski, A. & Yee, D. K. 1987, 'Men and body image: Are males satisfied with their body weight?' *Psychosomatic Medicine*, vol. 49, pp. 626-634.
- Durnin, J. V. G. A. & Womersley, J. 1974, 'Body fat assessed from total body density and its estimation from skinfold thickness: measurements on 481 men and women aged from 16 to 72 years', *British Journal of Nutrition*, vol. 32, pp. 77-97.
- Dwyer, J. T., Feldman, J. J., Seltzer, C. C. & Mayer, J. 1969, 'Adolescent attitudes toward weight and appearance', *Journal of Nutrition Education*, pp. 14-19.
- Eckerson, J. M., Housh, T. J. & Johnson, G. O. 1992, 'The validity of visual estimations of percent body fat in lean males', *Medicine and Science in Sports and Exercise*, vol. 24, no. 5, pp. 615-618.
- Eckert, E. D., Halmi, K. A., Marchi, P., Grove, W. & Crosby, R. 1995, 'Ten-year follow-up of anorexia nervosa: Clinical course and outcome', *Psychological Medicine*, vol. 25, pp. 143-156.
- Eda, S. & Imi, S. 1995, 'Investigation of high school students' desire for thinness [Jap]', *Eiyougaku zasshi*, vol. 53, no. 2, pp. 111-118.
- Edlund, B., Sjoden, P.-O. & Gebre-Medhin, M. 1999, 'Anthropometry, body composition and body image in dieting and non-dieting 8-16-year-old Swedish girls', *Acta Paediatrica*, vol. 88, no. 5, pp. 537-44.
- Elia, M., Parkinson, S. A. & Diaz, E. 1990, 'Evaluation of near infra-red interactance as a method for predicting body composition', *European Journal of Clinical Nutrition*, vol. 44, pp. 113-121.
- Encyclopaedia Britannica 2004, *Anthropometry*, Available: [<http://www.britannica.com/eb/article?tocId=9007796>] (11 October).
- Enns, M. P., Drewnowski, A. & Grinker, J. A. 1987, 'Body composition, body size estimation, and attitudes towards eating in male college athletes', *Psychosomatic Medicine*, vol. 49, no. 1, pp. 56-64.

- Fabricius, J. 1976, *Alchemy: The medieval alchemists and their royal art*, Harpercollins Publications, Tokyo.
- Fairburn, C. G. & Wilson, G. T. 1993, 'Binge eating: Definition and classification', in C. G. Fairburn & G. T. Wilson, (eds.), *Binge eating: Nature, assessment, and treatment*, 1 edn, The Guildford Press, New York, pp. 3-14.
- Fallon, A. 1990, 'Culture in the mirror: Sociocultural determinants of body image', in T. F. Cash, and Pruzinski, T., (ed.) *Body images-Development, deviance and change*, The Guildford Press, New York, pp. 80-109.
- Fallon, A. E. & Rozin, P. 1985, 'Short report-Sex differences in perceptions of desirable body shape', *Journal of Abnormal Psychology*, vol. 94, no. 1, pp. 102-105.
- Fehily, A. M., Butland, B. K. & Yarnell, J. W. G. 1990, 'Body fatness and fram size: The Caerphilly study', *European Journal of Clinical Nutrition*, vol. 44, pp. 107-111.
- Fisher, S. 1990, 'The evolution of psychological concept about the body', in T. F. Cash & T. Pruzinski, (eds.), *Body images-Development, deviance, and change*, The Guildford Press, New York, pp. 3-20.
- Fitzgibbon, M. L., Blackman, L. R. & Avellone, M. E. 2000, 'The relationship between body image discrepancy and body mass index across ethnic groups', *Obesity Research*, vol. 8, no. 8, pp. 582-589.
- Flynn, K. J. & Fitzgibbon, M. 1998, 'Body images and obesity risk among Black females: A review of the literature', *Annals of Behavioral Medicine*, vol. 20, no. 1, pp. 13-24.
- Fogelholm, M. & Lichtenbelt, W. V. M. 1997, 'Comparison of body composition methods: A literature analysis', *European Journal of Clinical Nutrition*, vol. 51, pp. 495-503.
- Fornetti, W. C., Pivarnik, J. M., Foley, J. M. & Fiechtner, J. J. 1999, 'Reliability and validity of body composition measures in female athletes', *Journal of Applied Physiology*, vol. 87, no. 3, pp. 1114-1122.
- Foster, G. D., Wadden, T. A., Vogt, R. A. & Brewer, G. 1997, 'What is a reasonable weight loss? Patients' expectations and evaluation of obesity tretment outcomes.' *Journal of Counseling and Clinical Psychology*, vol. 65, no. 1, pp. 79-85.
- Frankenfield, D. C., Muth, E. R. & Rowe, W. A. 1998, 'The Harris-Benedict studies of human basal metabolism: History and limitation', *Journal of American Dietetic Association*, vol. 98, no. 4, pp. 439-445.

- Freire, R. D., Cardoso, M. A., Shinzato, A. R. & Ferreira, R. G. 2003, 'Nutritional status of Japanese-Brazilian subjects: comparison across gender and generation', *British Journal of Nutrition*, vol. 89, pp. 705-712.
- French, S. A., Story, M., Neumark-Sztainer, D., Downes, B., Resnick, M. & Blum, R. 1997, 'Ethnic differences in psychological and health behavior correlates of dieting, purging, and binge eating in a population-based sample of adolescent females', *The International Journal of Eating Disorders*, vol. 22, pp. 315-322.
- Fujimoto, M. 1998, *Joshi daisei no self-esteem to body image, diet coudou, lifestyle, stress tono kanrensei ni tsuite [Jap]*, Kagawa Nutrition University.
- Fujise, T. & Nagasaki, K. 1999, 'Characteristics of anthropometry and physical fitness of masked obesity in young men and women [Jap]', *Japanese Journal of Physical Fitness and Sports Medicine*, vol. 48, pp. 631-640.
- Furnham, A. & Alibhai, N. 1983, 'Cross-cultural differences in the perception of female body shapes', *Psychological Medicine*, vol. 13, pp. 829-837.
- Furnham, A. & Baguma, P. 1994, 'Cross-cultural differences in the evaluation of male and female body shapes', *The International Journal of Eating Disorders*, vol. 15, no. 1, pp. 81-89.
- Furnham, A., Hester, C. & Weir, C. 1990, 'Sex differences in the preferences for specific female body shapes', *Sex Roles*, vol. 22, no. 11/12, pp. 743-754.
- Furukawa, T. 1994, 'Weight changes and eating attitudes of Japanese adolescents under acculturation stresses: A prospective study', *The International Journal of Eating Disorders*, vol. 15, no. 1, pp. 71-79.
- Galen 1998, *On Hippocrates On the nature of man*, Khun edn.
- Gallagher, D., Heymsfield, S. B., Heo, M., Jebb, S. A., Murgatroyd, P. R. & Sakamoto, Y. 2000, 'Healthy percentage body fat ranges: an approach for developing guidelines based on body mass index', *The American Journal of Clinical Nutrition*, vol. 72, pp. 694-701.
- Gallagher, D., Visser, M., Sepulveda, D., Pierson, R. N., Harris, T. & Heymsfield, S. B. 1996, 'How useful is body mass index for comparison of body fatness across age, sex, and ethnic groups?' *American Journal of Epidemiology*, vol. 143, no. 3, pp. 228-239.
- Gardner, R. M., Friedman, B. N. & Jackson, N. A. 1998, 'Methodological concerns when using silhouette to measure body image', *Perceptual and Motor Skills*, vol. 86, pp. 387-395.
- Gardner, R. M., Gallegos, V., Martinez, R. & Espinoza, T. 1989, 'Mirror feedback and judgments of body size', *Journal of Psychosomatic Research*, vol. 33, no. 5, pp. 603-607.

- Garn, S. M., Leonard, W. R. & Hawthorne, V. M. 1986, 'Three limitations of the body mass index', *The American Journal of Clinical Nutrition*, vol. 44, pp. 996-997.
- Garner, D. M. 1997, 'The 1997 body image survey results', *Psychology today*, no. January/February, pp. 30-44.
- Garner, D. M. & Garfinkel, P. E. 1979, 'The eating attitudes test: an index of the symptoms of anorexia nervosa', *Psychological Medicine*, vol. 9, pp. 273-279.
- Garner, D. M., Gerfinkel, P. E., Schwartz, D. & Thompson, M. 1980, 'Cultural expectations of thinness in women', *Psychological Reports*, vol. 47, pp. 483-491.
- Garner, D. M., Olmstead, M. P. & Polivy, J. 1983, 'Development and validation of a multidimensional eating disorder inventory for anorexia nervosa and bulimia', *The International Journal of Eating Disorders*, vol. 2, no. 2, pp. 15-34.
- Garner, D. M., Olmstead, M. P., Polivy, J. & Garfinkel, P. E. 1984, 'Comparison between weight-preoccupied women and anorexia nervosa', *Psychosomatic Medicine*, vol. 46, no. 3, pp. 255-266.
- Garner, D. M., Olmsted, M. P., Bohr, Y. & Garfinkel, P. E. 1982, 'The eating attitudes test: psychometric features and clinical correlates', *Psychological Medicine*, vol. 12, pp. 871-878.
- Garrow, J. 1999, 'Health risks of obesity', in B. N. F. T. Force, (ed.) *Obesity*, Blackwell Science, London, pp. 4-16.
- Garrow, J. S. & Webster, J. 1985, 'Quetelet's index (W/H^2) as a measure of fatness', *International Journal of Obesity*, vol. 9, pp. 145-153.
- Gila, A., Castro, J. & Toro, J. 1998, 'Subjective body-image dimensions in normal and anorexic adolescents', *The British Journal of Medical Psychology*, vol. 71, no. Pt. 2, pp. 175-184.
- Glucksman, M. L. & Hirsch, J. 1969, 'The response of obese patients to weight reduction', *Psychosomatic Medicine*, vol. 31, pp. 1-7.
- Goldberg, G. R., Black, A. E., Jebb, S. A., Cole, T. J., Murgatroyd, P. R., Coward, W. A. & Prentice, A. M. 1991, 'Critical evaluation of energy intake data using fundamental principles of energy physiology: 1. Derivation of cut-off limits to identify under-recording', *European Journal of Clinical Nutrition*, vol. 45, pp. 569-581.
- Goodman, M. J. 1991, 'Breast cancer in multi-ethnic populations: the Hawaii perspective', *Breast Cancer Research and Treatment*, vol. 18, pp. S5-S9.
- Gore, C., Norton, K., Olds, T., Whittingham, N., Birchall, K., Clough, M., Dickerson, B. & Downie, L. 1996, 'Accreditation in anthropometry: an Australian model',

in K. Norton & T. Olds, (eds.), *Anthropometrica*, University of New South Wales Press, Sydney, pp. 395-411.

Gorman, B. S. & Allison, D. B. 1995, 'Measures of restrained eating', in D. B. Allison, (ed.) *Handbook of assessment methods for eating behaviors and weight-related problems*, SAGE Publications, Thousand Oaks, pp. 149-184.

Gray, P. 1991, 'Theories of personality', in *Psychology*, Worth Publishers, Inc., New York, pp. 563-603.

Gruber, A., Pope Jr, H. G., Lalonde, J. K. & Hudson, J. I. 2001, 'Why do young women diet? The role of body fat, body perception, and body ideal', *Journal of Clinical Psychiatry*, vol. 62, no. 8, pp. 609-611.

Gruber, A. J., Pope Jr., H. G. & Borowiecki III, J. J. 1998, 'The development of the somatomorphic matrix: A bi-axial instrument for measuring body image in men and women', in *The Sixth Scientific Conference of the International Society for the Advancement of Kinanthropometry*, eds. K. Norton, T. Olds & J. Dollman, International Society for the Advancement of Kinanthropometry, Adelaide, pp. 217-231.

Gull, W. B. 1888, 'Anorexia nervosa', *Lancet*, vol. 1, pp. 516-517.

Gurney, J. M. & Jelliffe, D. B. 1973, 'Arm anthropometry in nutritional assessment: nomogram for rapid calculation of muscle circumference and cross-sectional muscle and fat areas', *The American Journal of Clinical Nutrition*, vol. 26, no. September, pp. 912-915.

Gustavson, C. R., Gustavson, J. C., Pumariega, A. J., Hrrera-Amighetti, L., Pate, J., Hester, C. & Gabaldon, M. P. 1993, 'Body-image distortion among male and female American and Costa Rican students and female Japanese students', *Perceptual and Motor Skills*, vol. 76, no. 1, pp. 127-130.

Haimovitz, D., Lansky, L. M. & O'Reilly, P. 1993, 'Fluctuations in body satisfaction across situations', *The International Journal of Eating Disorders*, vol. 13, no. 1, pp. 77-84.

Hattori, I., Numata, N., Ikoma, M., Matsuzaka, A. & Danielson, R. R. 1991, 'Sex differences in the distribution of subcutaneous and internal fat', *Human Biology*, vol. 63, no. 1, pp. 53-63.

Hay, P. & Fairburn, C. 1998, 'The validity of the DSM-IV scheme for classifying bulimic eating disorders', *The International Journal of Eating Disorders*, vol. 23, pp. 7-15.

Helman, C. 1994, *Culture, health and illness*, 3 edn, Oxford.

Henriques, G. R., Calhoun, L. G. & Cann, A. 1996, 'Ethnic differences in women's body satisfaction: An experimental investigation', *The Journal of Social Psychology*, vol. 136, no. 6, pp. 689-697.

- Herman, C. P. & Mack, D. 1975, 'Restrained and unrestrained eating', *Journal of Personality*, vol. 43, pp. 647-660.
- Herman, C. P. & Polivy, J. 1975, 'Anxiety, restraint, and eating behavior', *Journal of Abnormal Psychology*, vol. 84, no. 6, pp. 666-672.
- Heymsfield, S., McManus, C., Smith, J., Stevens, V. & Nixon, D. W. 1982, 'Anthropometric measurement of muscle mass: revised equations for calculating bone-free arm muscle area', *American Journal of Clinical Nutrition*, vol. 36, pp. 680-690.
- Heymsfield, S. B., Lichtman, S., Baumgartner, R. N., Wang, J. & Kamen, Y. 1990, 'Body composition of humans: comparison of two improved four-compartment models that differ in expense, technical capacity, and radiation exposure', *The American Journal of Clinical Nutrition*, vol. 52, pp. 52-58.
- Heyward, V. H. 1998, 'Practical body composition assessment for children, adults, and older adults', *International Journal of Sport Nutrition*, vol. 8, no. 3, pp. 285-307.
- Higashi, N., Oishi, M., Onode, M., Tashiro, S. & Takeuchi, K. 1984, *Joshi daisei no shokukoudou chousa [Jap]*, Kouseishou, Tokyo.
- Higgins, E. T. 1987, 'Self-discrepancy: A theory relating self and affect', *Psychological Review*, vol. 94, no. 3, pp. 319-340.
- Horne, R. L., Van Vactor, J. C. & Emerson, S. 1991, 'Disturbed body image in patients with eating disorders', *The American Journal of Psychiatry*, vol. 148, no. 2, pp. 211-215.
- Hsieh, S. D., Yoshinaga, H., Muto, T., Sakurai, Y. & Kosaka, K. 2000, 'Health risk among Japanese men with moderate body mass index', *International Journal of Obesity*, vol. 24, pp. 358-362.
- Huang, B., Rodriguez, B. L., Burchfiel, C. M., Chyou, P.-H., Curb, J. D. & Yano, K. 1996, 'Acculturation and prevalence of diabetes among Japanese-American men in Hawaii', *American Journal of Epidemiology*, vol. 144, no. 7, pp. 674-680.
- Huddy, D. C., Nieman, D. C. & Johnson, R. L. 1993, 'Relationship between body image and percent body fat among college male varsity athletes and nonathletes', *Perceptual and Motor Skills*, vol. 77, pp. 851-857.
- Huenemann, R. L., Shapiro, L. R., Hampton, M. C. & Mitchell, B. W. 1966, 'A longitudinal study of gross body composition and body conformation and their association with food and activity in a teen-age population', *The American Journal of Clinical Nutrition*, vol. 18, no. May, pp. 325-338.

- Hundleby, J. D. & Bourgooin, N. C. 1993, 'Generality in the errors of estimation of body image', *The International Journal of Eating Disorders*, vol. 13, no. 1, pp. 85-92.
- Ikeda, C. & Endo, N. 1998, 'Joshi daigakusei no body image no ishikichousa [Jap]', *Hoken no Kagaku*, vol. 40, no. 7, pp. 567-572.
- Inaba, Y. 1996, 'Sesshoku shougai no honpou ni okeru jittai [Jap]', *Nichiizasshi*, vol. 116, no. 8, pp. 1065-1067.
- Inoue, Y., Tachi, N., Yamamoto, A., Nishimura, T., Fujimoto, J., Kimura, F., Toyonaga, K., Kubota, N. & Kitamura, A. 1986, 'The course and prognosis of anorexia nervosa. A study of 212 patients during the past 22 years', *Jidouseinen seishinigaku to sono shinsetsuryouiki*, vol. 27, no. 5, pp. 296-309.
- ISAK 2001, *International standards for anthropometric assessment*, ISAK, Canberra.
- Ishida, Y., Kanehisa, H., Fukunaga, T. & Pollock, M. L. 1992, 'A comparison of fat and muscle thickness in Japanese and American women', *Annals of Physiological Anthropology*, vol. 11, no. 1, pp. 29-35.
- Ishihara, M. 2000, *Koukousei no body image ga jiko keisei ni oyobosu eikyou ni tsuite [Jap]*, Kagawa Nutrition University.
- Ito, H., Nakasuga, K., Ohshima, A., Maruyama, T., Kaji, Y., Harada, M., Fukunaga, M., Jingu, S. & Sakamoto, M. 2003, 'Detection of cardiovascular risk factors by indices of obesity obtained from anthropometry and dual-energy X-ray absorptiometry in Japanese individuals', *International Journal of Obesity*, vol. 27, pp. 232-237.
- Ito, H., Ohshima, A., Ohto, N., Ogasawara, M., Tsuzuki, M., Takao, K., Hijii, C., Tanaka, H. & Nishioka, K. 2001, 'Relationship between body composition and age in healthy Japanese subjects', *European Journal of Clinical Nutrition*, vol. 55, pp. 462-470.
- Jackson, A. S. & Pollock, M. L. 1978, 'Generalized equations for predicting body density of men', *British Journal of Nutrition*, vol. 40, pp. 497-504.
- Jackson, A. S., Pollock, M. L., Graves, J. E. & Mahar, M. T. 1988, 'Reliability and validity of bioelectrical impedance in determining body composition', *Journal of Applied Physiology*, vol. 64, no. 2, pp. 529-534.
- Janet, P. 1929, *The major symptoms of hysteria*, The Macmillan Company, New York.
- Jebb, S. A. & Elia, M. 1993, 'Techniques for the measurement of body composition: a practical guide', *International Journal of Obesity*, vol. 17, pp. 611-621.

- Jia, W. P., Xiang, K. S., Chen, L., Lu, J. X. & Wu, Y. M. 2002, 'Epidemiological study on obesity and its comorbidities in urban Chinese older than 20 years of age in Shanghai, China', *Obesity Reviews*, vol. 3, pp. 157-165.
- Johansson, A. G., Forslund, A., Sjodin, A., Mallmin, H. & Hambræus, L. 1993, 'Determination of body composition- a comparison of dual-energy x-ray absorptiometry and hydrodensitometry', *The American Journal of Clinical Nutrition*, vol. 57, pp. 323-326.
- Joiner Jr., T. E., Schmidt, N. B. & Singh, D. 1994, 'Waist-to-hip ratio and body dissatisfaction among college women and men: Moderating role of depressed symptoms and gender', *The International Journal of Eating Disorders*, vol. 16, no. 2, pp. 199-203.
- Kagawa, A. (ed.) 1997, *Shokuseikatsu.Kenkou no koujou ni yakudatsu shohyou [Jap]*, 1 edn, Joshi Eiyō Daigaku Shuppanbu, Tokyo.
- Kagawa, M. 1999, *Body composition of Japanese and Australian students in Perth*, Honours thesis, Curtin University of Technology.
- Kagawa, Y. 2000, *Kagaku ga shoumei suru choushoku no susume [Jap]*, Joshi eiyō daigaku shuppanbu, Tokyo.
- Kajioka, T., Ohsawa, I., Yoshida, T. & Sato, Y. 1996a, 'Body and lifestyle characteristics in normal weight obesity (masked obesity) in Japanese female high school students [Jap]', *Japanese Journal of School Health*, vol. 38, pp. 263-269.
- Kajioka, T., Oshida, Y., Osawa, T., Satou, Y., Suzuki, H., Sato, K. & Yoshida, M. 1996b, 'Seijō taijyū himan (iwayuru [kakure himan]) no sityūyūhatsugen risk ni tsuite [Jap]', *Tairyō Kagaku*, vol. 45, p. 752.
- Kajioka, T., Tsuzuku, S., Shimokata, H. & Sato, Y. 2002, 'Effect of intentional weight cycling on non-obese young women [Jap]', *Metabolism*, vol. 51, no. 2, pp. 149-154.
- Kamohara, S. 2001, *Diet wo igaku suru [Jap]*, Chuōkōronshinsha, Tokyo.
- Katch, V. L., Freedson, P. S., Katch, F. I. & Smith, L. 1982, 'Body frame size: Validity of self-appraisal', *The American Journal of Clinical Nutrition*, vol. 36, no. 4, pp. 676-9.
- Kawano, M. 2000, 'Fueru dansei no "himan", susumu jakunen josei no "yase" shikō: Heisei 10 nen kokumin eiyō chōsa kekka no gaiyō [Jap]', *Shoku to Seikatsu*, vol. 504, pp. 6-9.
- Keel, P. K. & Mitchell, J. E. 1997, 'Outcome in bulimia nervosa', *The American Journal of Psychiatry*, vol. 154, no. 3, pp. 313-321.

- KEJK 1999, *Recommended Dietary Allowances-Dietary Reference Intakes [Jap]*, Daiichi Shuppan, Tokyo.
- KEJK 2000, *Kokumin eiyō no genjō-The National Nutrition Survey in Japan, 1998 [Jap]*, Daiichi Shuppan, Tokyo.
- KEJK 2003, *Kokumin eiyō no genjō-The National Nutrition Survey in Japan, 2001 [Jap]*, Daiichi Shuppan, Tokyo.
- KEJK 2004, *Kokumin eiyō no genjō-The National Nutrition Survey in Japan, 2002 [Jap]*, 1 edn, Daiichi Shuppan, Tokyo.
- KEJK & ECKH (eds.) 1998, *Sengo Shōwa no eiyō doukō-Kokumin eiyō chōsa 40 nen wo furikaeru [Jap]*, Daiichi Shuppan, Tokyo.
- Kim, K. K., Yu, E. S., Liu, W. T., Kim, J. & Kohrs, M. B. 1993, 'Nutritional status of Chinese-, Korean-, and Japanese-American elderly', *Journal of the American Dietetic Association*, vol. 93, no. 12, pp. 1416-1422.
- Kimura, M. 1998, *A phenomenological study for struggling concerned in eating and interpersonal relationship [Jap]*, Kagawa Nutrition University.
- Kin, K., Lee, E., Kushida, K., Sartoris, D. J., Ohmura, A., Clopton, P. L. & Inoue, T. 1993, 'Bone density and body composition on the pacific rim: A comparison between Japan-born and U. S.-born Japanese-American women', *Journal of Bone and Mineral Research*, vol. 8, no. 7, pp. 861-869.
- Kiriike, N. 2000, *Sesshoku shōgai [Jap]*, Igaku Shoin, Tokyo.
- Kiriike, N., Nagata, M. & Shirata, K. 1996, 'Decreased body mass index in young women in recent years; In relation to eating disorders [Jap]', *Rinshō Seishin Igaku*, vol. 25, no. 5, pp. 611-617.
- Kistorp, C. N. & Svendsen, O. L. 1998, 'Body composition results by DXA differ with manufacturer, instrument generation and software version', *Applied Radiation and Isotopes*, vol. 49, no. 5/6, pp. 515-516.
- Kitagawa, K. 1978, 'Nihonjin seinen danjō no sintaisōsei to sono kokusai hikaku [Jap]', *Hoken no Kagaku*, vol. 20, pp. 491-495.
- Kitamura, A. 1994, 'Eating disorder among high school students-The prevalence and school mental health guidance [Jap]', *Nara Kyōikudai gaku kyōikujissen Kenkyūshidōcenter Kenkyū.*, no. 3, pp. 1-13.
- Kitamura, A. 1999, 'A survey of eating disorder among senior high school students carried out by school nursing teachers [Jap]', *Japanese Journal of School Health*, vol. 41, no. 3, pp. 191-197.

- Kitamura, A., Fujimoto, J., Inoue, Y., Toyonaga, K., Kubota, N. & Tachi, N. 1985, 'A clinical study for eating disorder with emaciation-About 216 patients during the past 22 years [Jap]', *Seishin Igaku*, vol. 27, no. 1, pp. 107-116.
- Ko, C. & Cohen, H. 1998, 'Intraethnic comparison of eating attitudes in native Koreans and Korean Americans using Korean translation of the eating attitudes test', *The Journal of Nervous and Mental Disease*, vol. 186, no. 10, pp. 631-636.
- Kobayashi, T. 1988, *Chugaku, Koukousei ni okeru sesshoku shougai no jittai ni tsuite [Jap]*, Kagawa Nutrition University.
- Komiya, S. & Nakao, T. 2002, *Shintaiseigaku [Jap]*, Gihodo, Tokyo.
- Kouda, M. 1996, 'Nihonjin no himankan no henkan [Jap]', *Journal of Health, Physical Education and Recreation*, vol. 46, no. 11, pp. 895-899.
- Kouri, E. M., Pope Jr, H. G., Katz, D. L. & Oliva, P. 1995, 'Fat-free mass index in users and nonusers of anabolic-androgenic steroids', *Clinical Journal of Sport Medicine*, vol. 5, pp. 223-228.
- Kudo, Y., Falciglia, G. A. & Couch, S. C. 2000, 'Evolution of meal patterns and food choices of Japanese-American females born in the United States', *European Journal of Clinical Nutrition*, vol. 54, pp. 665-670.
- Kushner, R. F. 1992, 'Bioelectrical impedance analysis: A review of principles and applications', *Journal of American College of Nutrition*, vol. 11, no. 2, pp. 199-209.
- Labre, M. P. 2002, 'Adolescent boys and the muscular male body ideal', *Journal of Adolescent Health*, vol. 30, pp. 233-242.
- Lake, A. J., Staiger, P. K. & Glowinski, H. 2000, 'Effect of Western culture on women's attitudes to eating and perceptions of body shape', *The International Journal of Eating Disorders*, vol. 27, no. 1, pp. 83-89.
- Lautenbacher, S., Roscher, S., Strian, F., Pirke, K.-M. & Krieg, J.-C. 1993, 'Theoretical and empirical considerations on the relation between 'body image', body scheme and somatosensation', *Journal of Psychosomatic Research*, vol. 37, no. 5, pp. 447-454.
- Lautman, M. R. 1991, 'End-benefit segmentation and prototypical bonding', *Journal of Advertising Research*, vol. 31, no. 3, pp. 9-18.
- le Grange, D., Telch, C. F. & Tribbs, J. 1998, 'Eating attitudes and behaviors in 1,435 South African Caucasian and Non-Caucasian college students', *The American Journal of Psychiatry*, vol. 155, no. 2, pp. 250-254.
- Lee, Z. S. K., Critchley, J. A. J. H., Ko, G. T. C., Anderson, P. J., Thomas, G. N., Young, R. P., Chan, T. Y. K., Cockram, C. S., Tomlinson, B. & Chan, J. C. N.

- 2002, 'Obesity and cardiovascular risk factors in Hong Kong Chinese', *Obesity Reviews*, vol. 3, pp. 173-182.
- Lerner, R. M., Iwasaki, S., Chihara, T. & Sorell, G. T. 1980, 'Self-concept, self-esteem, and body attitudes among Japanese male and female adolescents', *Child Development*, vol. 51, pp. 847-855.
- Levine, M. P. & Piran, N. 2004, 'The role of body image in the prevention of eating disorders', *Body Image: An international Journal of Research*, vol. 1, no. 1, pp. 57-70.
- Levine, M. P., Smolak, L., Moodey, A. F., Shuman, M. D. & Hessen, L. D. 1994, 'Normative developmental challenges and dieting and eating disturbances in middle school girls', *The International Journal of Eating Disorders*, vol. 15, no. 1, pp. 11-20.
- Lindholm, L. & Wilson, G. T. 1988, 'Body image assessment in patients with bulimia nervosa and normal controls', *The International Journal of Eating Disorders*, vol. 7, no. 4, pp. 527-539.
- Loan, V. & Mayclin, P. L. 1992, 'Body composition assessment: dual-energy X-ray absorptiometry (DEXA) compared to reference methods', *European Journal of Clinical Nutrition*, vol. 46, pp. 125-130.
- Lohman, T. G. 1996, 'Dual energy X-ray absorptiometry', in A. F. Roche, S. B. Heymsfield & T. G. Lohman, (eds.), *Human body composition*, Human Kinetics, pp. 63-78.
- Lucas, A. R., Beard, C. M., O'Fallon, W. M. & Kurland, L. T. 1991, '50-year trends in the incidence of anorexia nervosa in Rochester, Minn.: A population-based study', *The American Journal of Psychiatry*, vol. 148, no. 7, pp. 917-922.
- Lucero, K., Hicks, R., Bramlette, J., Brassington, G. S. & Welter, M. G. 1992, 'Frequency of eating problems among Asian and Caucasian women', *Psychological Reports*, vol. 71, pp. 255-258.
- Lukaski, H. C. 1987, 'Methods for the assessment of body composition: Traditional and new', *The American Journal of Clinical Nutrition*, vol. 46, pp. 537-556.
- Markee, N. L., Carey, I. L. S. & Pedersen, E. L. 1990, 'Body cathexis and clothed body cathexis: Is there a difference?' *Perceptual and Motor Skills*, vol. 70, pp. 1239-1244.
- Martin, A. D., Daniel, M., Clarys, J. P. & Marfell-Jones, M. J. 2003, 'Cadaver-assessed validity of anthropometric indicators of adipose tissue distribution', *International Journal of Obesity Related Metabolic Disorders*, vol. 27, no. 9, pp. 1052-1058.
- Martin, A. D. & Drinkwater, D. T. 1991, 'Variability in the measures of body fat', *Sports Medicine*, vol. 1, no. 5, pp. 277-288.

- Martin, A. D., Ross, W. D., Drinkwater, D. T. & Clarys, J. P. 1985, 'Prediction of body fat by skinfold caliper: Assumptions and cadaver evidence', *International Journal of Obesity*, vol. 9, no. Suppl. 1, pp. 31-39.
- Matsuura, K., Fujimura, M., Nozawa, Y., Iida, Y. & Hirayama, M. 1992, 'The body shape preferences of Japanese female students', *International Journal of Obesity*, vol. 16, pp. 87-93.
- Matsuura, K., Ogura, T., Kinumi, K., Naitou, K., Kuroki, K., Imai, A., Tukamoto, C. & Tobe, K. 2001, 'Significance of body weight change in non-obese individuals-Masked obesity and ideal body weight- [Jap]', *Campus Health*, vol. 37, no. 2, pp. 85-90.
- Matsuzawa, Y., Inoue, S., Ikeda, Y., Sakata, T., Saito, Y., Satou, Y., Shirai, K., Ohno, M., Miyazaki, S., Tokunaga, K., Fukagawa, K., Yamanouchi, K. & Nakamura, T. 2000, 'Atarashii himan no hantei to himanshou no shindan kijun [Jap]', *Journal of Japan Society for the Study of Obesity*, vol. 6, no. 1, pp. 18-28.
- Mclean, K. P. & Skinner, J. S. 1992, 'Validity of Futrex-5000 for body composition determination', *Medicine and Science in Sports and Exercise*, vol. 24, no. 2, pp. 253-258.
- McLennan, W. & Podger, A. 1998, *National Nutrition Survey: Nutrient Intakes and Physical Measurements*, Australian Bureau of Statistics, Canberra, Cat. No. 4805.0.
- Meijboom, A., Jansen, A., Kampman, M. & Schouten, E. 1999, 'An experimental test of the relationship between self-esteem and concern about body shape and weight in restrained eaters', *The International Journal of Eating Disorders*, vol. 25, pp. 327-334.
- Mildred, H., Paxton, S. J. & Wertheim, E. H. 1995, 'Risk factors for eating disorders in Greek- and Anglo-Australian adolescent girls', *The International Journal of Eating Disorders*, vol. 17, no. 1, pp. 91-96.
- Mitsiopoulos, N., Baumgartner, R. N., Heymsfield, S. B., Lyons, W., Gallagher, D. & Ross, R. 1998, 'Cadaver validation of skeletal muscle measurement by magnetic resonance imaging and computerized tomography', *Journal of Applied Physiology*, vol. 85, no. 1, pp. 115-122.
- Miyagi, S. 1992, 'The well-being of elderly people', in *First international symposium on health policy and health service systems*, ed. T. Umenai, and Nishigaki, M.
- Miyatake, N., Nonaka, K. & Fujii, M. 1999, 'A new air displacement plethysmograph for the determination of Japanese body composition', *Diabetes, Obesity and Metabolism*, vol. 1, pp. 347-351.

- MJ 2002, *Gaikokujin tourokusha toukei ni tsuite [Jap]*, Available: [\[http://www.moj.go.jp/\]](http://www.moj.go.jp/) (22/12).
- MOFA 2002, *Kaigai zairyu houjinsu toukei [Jap]*, Available: [\[http://www.mofa.go.jp/mofaj/toko/tokei/hojin02/index.html\]](http://www.mofa.go.jp/mofaj/toko/tokei/hojin02/index.html) (22/12).
- Moon, O. R., Kim, N. S., Jang, S. M., Yoon, T. H. & Kim, S. O. 2002, 'The relationship between body mass index and the prevalence of obesity-related diseases based on the 1995 National Health Interview Survey in Korea', *Obesity Reviews*, vol. 3, pp. 191-196.
- Moore, D. C. 1993, 'Body image and eating behavior in adolescents', *Journal of American College of Nutrition*, vol. 12, no. 5, pp. 505-510.
- Mukai, T. 1996, 'Body dissatisfaction, depressive affect and eating problems among young adolescent girls: A prospective study', *Japanese Journal of Counseling Science*, vol. 29, pp. 37-43.
- Mukai, T. 1998, 'Body dissatisfaction, need for social approval, and eating disturbances among Japanese and American college women', *Sex Roles*, vol. 39, no. Nos. 9/10, pp. 751-763.
- Mukai, T., Crago, M. & Shisslak, C. M. 1994, 'Eating attitudes and weight peroccupation among female highschool students in Japan', *Journal of Child Psychology and Psychiatry*, vol. 35, no. 4, pp. 677-688.
- Myers Jr., P. N. & Biocca, F. A. 1992, 'The elastic body image: The effect of television advertising and programming on body image distortions in young women', *Journal of Communication*, vol. 42, no. 3, pp. 108-133.
- Nagamine, S. 1972, 'Hikashibou kara no himan no hantei [Jap]', *Nihon Ishikai Zasshi*, vol. 68, no. 9, pp. 919-924.
- Nagamine, S. & Suzuki, S. 1964, 'Anthropometry and body composition of Japanese among men and women', *Human Biology*, vol. 36, pp. 8-15.
- Nagata, M. 2000, 'Kyoshoku.Kashoku- Otokotachi ga yabai [Jap]', In *Asahi Shinbun Weekly AERA*, vol. 5, pp. 24-25.
- Nakamura, K., Hoshihito, Y., Watanabe, A., Honda, K., Niwa, S., Tominaga, K., Shimai, S. & Yamamoto, M. 1999, 'Eating problems in female Japanese high school students:A prevalence study', *The International Journal of Eating Disorders*, vol. 26, pp. 91-95.
- Nakanishi, Y. & Nethery, V. 1999, 'Anthropometric comparison between Japanese and Caucasian American male University students', *Applied Human Science*, vol. 18, no. 1, pp. 9-11.

- Nasser, M. 1994, 'Screening for abnormal eating attitudes in a population of Egyptian secondary school girls', *Social Psychiatry and Psychiatry Epidemiology*, vol. 29, pp. 25-30.
- Nelson, C. L. & Gidycz, C. A. 1993, 'A comparison of body image perception in bulimics, restrainers, and normal women: An extension of previous findings', *Addictive Behaviors*, vol. 18, pp. 503-509.
- Nishizono, A. 1999, 'Sesshokushougai no byouri to sono chiryou [Jap]', in A. Nishizono, Takeda, S., Ugajin, T., Ozawa, T., Bunno, K., and Ishida, H., (ed.) *Sesshokushougai no team iryou*, 1 edn, Joshi Eiyoudaigaku Shuppan-bu, Toukyo, pp. 11-25.
- Nogami, Y. & Satou, Y. 1998, 'Kashokushou kenkyu no tenbou [Jap]', in (*Sesshoku shougai/Kashoku*) *Ronbunshu*, Seiwa shoten, Tokyo, pp. 137-145.
- Norgan, N. G. & Ferro-Luzzi, A. 1982, 'Weight-height indices as estimators of fatness in men', *Human Nutrition*, vol. 36C, pp. 363-372.
- Norris, D. L. 1984, 'The effects of mirror confrontation on self-estimation of body dimensions in anorexia nervosa, bulimia and two control groups', *Psychological Medicine*, vol. 14, pp. 835-842.
- Norton, K. 1996, 'Anthropometric estimation of body fat', in K. Norton & T. Olds, (eds.), *Anthropometrica*, University of New South Wales Press, Sydney, pp. 171-198.
- Norton, K., Whittingham, N., Carter, L., Kerr, D., Gore, C. & Marfell-Jones, M. 1996, 'Measurement techniques in anthropometry', in K. Norton & T. Olds, (eds.), *Anthropometrica*, 1 edn, University of New South Wales Press, Sydney, pp. 25-75.
- O'Connor, P. J., Lewis, R. D., Kirchner, E. M. & Cook, D. B. 1996, 'Eating disorder symptoms in former female college gymnasts: Relations with body composition', *The American Journal of Clinical Nutrition*, vol. 64, pp. 840-843.
- O'Dea, J. A. 1994, 'Food habits, body image and self-esteem of adolescent girls from disadvantaged and non-disadvantaged backgrounds', *Australian Journal of Nutrition and Dietetics*, vol. 51, no. 2, pp. 74-78.
- O'Dea, J. A. 1995, 'Body image and nutritional status among adolescents and adults-A review of the literature', *Australian Journal of Nutrition and Dietetics*, vol. 52, no. 2, pp. 56-67.
- O'Dea, J. A. 1998, 'The body size preferences of underweight young women from different cultural backgrounds', *Australian Journal of Nutrition and Dietetics*, vol. 55, no. 2, pp. 75-80.

- Ogden, J. & Elder, C. 1998, 'The role of family status and ethnic group on body image and eating behavior', *The International Journal of Eating Disorders*, vol. 23, no. 3, pp. 309-315.
- Ohmura, A., Kushida, K., Yamazaki, K., Okamoto, S., Katsuno, H. & Inoue, T. 1997, 'Bone density and body composition in Japanese women', *Calcified Tissue International*, vol. 61, no. 2, pp. 117-122.
- Ohno, Y., Nakao, K. & Nozoe, S. 1998, *Chususei sesshokuijoushou no zenkokuekigakuchousa (1998) ni tsuite [Jap]*, Available: [<http://www.kufm.kagoshima-u.ac.jp/~psm/ekigaku.html>] (5/8/00).
- Ohta, Y. & Ohta, K. 2002, *Nihonjin no taikaku taikai [Jap]*, Daigaku kyoudoku shuppan, Okayama.
- Okuno, T. & Haraguchi, A. 1992, *Joshidai ichinennsei BMI no nenjisui(1970-1990) [Jap]*, Dai 29kai Zenkoku Daigaku Hoken Kanri Kenkyukai Houkokusho.
- Olds, T., Norton, K., Van Ly, S. & Lowe, L. 1996, 'Similarity systems in anthropometry', in K. Norton & T. Olds, (eds.), *Anthropometrica*, University of New South Wales Press, Sydney, pp. 121-145.
- Olivardia, R., Pope Jr, H. G., Mangweth, B. & Hudson, J. I. 1995, 'Eating disorders in college men', *The American Journal of Psychiatry*, vol. 152, no. 9, pp. 1279-1285.
- Page, A. & Fox, K. R. 1998, 'Is body composition important in young people's weight management decision-making?' *International Journal of Obesity*, vol. 22, no. 8, pp. 786-792.
- Pan, Y.-L., Dixon, Z., Himburg, S. & Huffman, F. 1999, 'Asian students change their eating patterns after living in the United States', *Journal of the American Dietetic Association*, vol. 99, no. 1, pp. 54-57.
- Panotopoulos, G., Ruiz, J. C., Guy-Grand, B. & Basdevant, A. 2001, 'Dual x-ray absorptiometry, bioelectrical impedance, and near infrared interactance in obese women', *Medicine and Science in Sports and Exercise*, vol. 33, no. 4, pp. 665-670.
- Parks, P. S. M. & Read, M. H. 1997, 'Adolescent male athletes: Body image, diet, and exercise', *Adolescence*, vol. 32, no. 127, pp. 593-602.
- Patton, G. C. 1988, 'Mortality in eating disorders', *Psychological Medicine*, vol. 18, pp. 947-951.
- Patton, G. C., Carlin, J. B., Shao, Q., Hibbert, M. E., Rosier, M., Selzer, R. & Bowes, G. 1997, 'Adolescent dieting: Healthy weight control or borderline eating disorder?' *Journal of Child Psychology and Psychiatry*, vol. 38, no. 3, pp. 299-306.

- Paxton, S. J., Wertheim, E. H., Gibbons, K., Szumukler, G. I., Hillier, L. & Petrovich, J. L. 1991, 'Body image satisfaction, dieting beliefs, and weight loss behaviors in adolescent girls and boys', *Journal of Youth and Adolescence*, vol. 20, no. 3, pp. 361-379.
- Pederson, D. & Gore, C. 1996, 'Anthropometry measurement error', in K. Norton & T. Olds, (eds.), *Anthropometrica*, University of New South Wales Press, Sydney, pp. 77-96.
- Peppler, W. W. & Mazess, R. B. 1981, 'Total body bone mineral and lean body mass by dual-photon absorptiometry I Theory and measurement procedure.' *Calcified Tissue International*, vol. 33, pp. 353-359.
- Phillips, K. A., McElroy, S. L., Hudson, J. I. & Popo Jr, H. G. 1995, 'Body dysmorphic disorder: An obsessive-compulsive spectrum disorder, a form of affective spectrum disorder, or both?' *Journal of Clinical Psychology*, vol. 56, no. suppl4, pp. 41-51.
- Pierce, E. F. & Daleng, M. L. 1998, 'Distortion of body image among elite female dancers', *Perceptual and Motor Skills*, vol. 87, pp. 769-770.
- Pinhas, L., Torner, B. B., Ali, A., Garfinkel, P. E. & Stuckless, N. 1999, 'The effect of the ideal of female beauty on mood and body satisfaction', *The International Journal of Eating Disorders*, vol. 25, pp. 223-226.
- Pope Jr, H. G., Gruber, A. J., Mangweth, B., Bureau, B., de Col, C., Jouvent, R. & Hudson, J. I. 2000, 'Body image perception among men in three countries', *The American Journal of Psychiatry*, vol. 157, no. 8, pp. 1297-1301.
- Pope Jr, H. G., Gruber, A. M., Choi, P., Olivardia, R. & Phillips, K. A. 1997, 'Muscle dysmorphia - An underrecognized form of body dysmorphic disorder', *Psychosomatics*, vol. 38, no. 6, pp. 548-557.
- Pope Jr., H. G., Katz, D. L. & Hudson, J. I. 1993, 'Anorexia nervosa and "reverse anorexia" among 108 male bodybuilders', *Comprehensive Psychiatry*, vol. 34, no. 6, pp. 406-409.
- Prentice, A. 1995, 'Application of dual-energy X-ray absorptiometry and related techniques to the assessment of bone and body composition', in P. S. W. Davies & T. J. Cole, (eds.), *Body composition techniques in health and disease*, Cambridge University Press, Cambridge, pp. 1-13.
- Pritchard, J. E., Nowson, C. A., Strauss, B. J., Carlson, J. S., Kaymakci, B. & Wark, J. D. 1993, 'Evaluation of dual energy X-ray absorptiometry as a method of measurement of body fat', *European Journal of Clinical Nutrition*, vol. 47, pp. 216-228.
- Probst, M., Van Coppenhole, H., Vandereycken, W. & Goris, M. 1992, 'Body image assessment in anorexia nervosa patients and university students by means of

- video distortion: A reliability study', *Journal of Psychosomatic Research*, vol. 36, no. 1, pp. 89-97.
- Pruzinski, T. 1990, 'Psychopathology of body experience: Expanded perspectives', in T. F. Cash & T. Pruzinski, (eds.), *Body images: Development, deviance and change*, The Guildford Press, New York, pp. 170-189.
- Rand, C. S. W. & Kuldau, J. M. 1990, 'The epidemiology of obesity and self-defined weight problem in the general population: Gender, race, age, and social class', *The International Journal of Eating Disorders*, vol. 9, no. 3, pp. 329-343.
- Rieger, E., Touyz, S. W., Swain, T. & Beumont, P. J. V. 2001, 'Cross-cultural research on anorexia nervosa: Assumptions regarding the role of body weight', *The International Journal of Eating Disorders*, vol. 29, pp. 205-215.
- Roche, A. F. 1996, 'Anthropometry and ultrasound', in A. F. Roche, S. B. Heymsfields & T. G. Lohman, (eds.), *Human body composition*, Human Kinetics, pp. 167-189.
- Rookus, M. A., Burema, J., Deurenberg, P. & Van der Wiel-Wetzels, W. A. M. 1985, 'The impact of adjustment of a weight-height index (W/H^2) for frame size on the prediction of body fatness', *The British Journal of Nutrition*, vol. 54, pp. 335-342.
- Ross, W. D., Crawford, S. M., Kerr, D. A. & Ward, R. 1988, 'Relationship of the Body Mass Index with skinfolds, girths, and bone breadths in Canadian men and women aged 20-70 years', *American Journal of Physical Anthropology*, vol. 77, pp. 169-173.
- Ross, W. D. & Marfell-Jones, M. J. 1991, 'Kinanthropometry', in J. D. MacDougall, H. A. Werger & H. J. Green, (eds.), *Physiological testing of the high-performance athlete*, 2 edn, Human Kinetics Books, Champaign, pp. 223-268.
- Roubenoff, R., Kehayias, J. J., Dawson-Hughes, B. & Heymsfield, S. B. 1993, 'Use of dual-energy x-ray absorptiometry in body-composition studies: not yet a "gold standard"', *The American Journal of Clinical Nutrition*, vol. 58, pp. 589-91.
- Rozin, P. & Fallon, A. 1988, 'Body image, attitudes to weight, and misperceptions of figure preferences of the opposite sex: A comparison of men and women in two generations', *Journal of Abnormal Psychology*, vol. 97, no. 3, pp. 342-345.
- Russel, G. 1979, 'Bulimia nervosa: an ominous variant of anorexia nervosa', *Psychological Medicine*, vol. 9, pp. 429-448.
- Sakuma, J. & Rikimaru, T. 1993, 'Joshidaisei no seikatsu, himan-ishiki to eiyou.undo [Jap]', *Hoken no Kagaku*, vol. 35, no. 3, pp. 217-327.

- Schaefer, F., Georgi, M., Wühl, E. & Scharer, K. 1998, 'Body mass index and percentage fat mass in healthy German schoolchildren and adolescents', *International Journal of Obesity*, vol. 22, pp. 461-469.
- Schilder, P. 1950, *The image and appearance of the human body*, International Universities Press, Inc., New York.
- Schmidt, P. K. & Carter, J. E. 1990, 'Static and dynamic differences among five types of skinfold calipers', *Human Biology*, vol. 62, no. 3, pp. 369-388.
- Schreiner, P., Pitkaniemi, J. & Pekkanen, J. 1995, 'Reliability of near-infrared interactance body fat assessment relative to standard anthropometric techniques', *Journal of Clinical Epidemiology*, vol. 48, no. 11, pp. 1361-1367.
- Schur, E. A., Sanders, M. & Steiner, H. 2000, 'Body dissatisfaction and dieting in young children', *The International Journal of Eating Disorders*, vol. 27, no. 1, pp. 74-82.
- Schwartz, D. M., Thompson, M. G. & Johnson, C. L. 1982, 'Anorexia nervosa and bulimia: The socio-cultural context', *The International Journal of Eating Disorders*, vol. 1, no. 3, pp. 20-36.
- Schwartz, M. B. & Brownell, K. D. 2004, 'Obesity and body image', *Body Image: An international Journal of Research*, vol. 1, no. 1, pp. 43-56.
- Schwerin, M. J., Corcoran, K. J., Fisher, L., Patterson, D., Askew, W., Olrich, T. & Shanks, S. 1996, 'Social physique anxiety, body esteem, and social anxiety in bodybuilders and self-reported anabolic steroid users', *Addictive Behaviors*, vol. 21, no. 1, pp. 1-8.
- Serdula, M. K., Collins, M. E., Williamson, D. F., Anda, R. F., Pamuk, E. & Byers, T. E. 1993, 'Weight control practices of U. S. adolescents and adults', *Annals of Internal Medicine*, vol. 119, no. 7(Part 2), pp. 667-671.
- Shephard, R. J. 1991, *Body composition in biological anthropology*, 1 edn, Cambridge University Press, Cambridge.
- Shiga, N., Fukushima, M. & Endo, Y. 1994, 'The analysis of the eating behavior of the highschool girls in Akita city and Noshiro city [Jap]', *Seishin Igaku*, vol. 36, no. 11, pp. 1181-1188.
- Shontz, F. C. 1990, 'Body image and physical disability', in T. F. Cash & T. Pruzinski, (eds.), *Body images: Development, deviance and change*, 1 edn, The Guildford Press, New York, pp. 149-169.
- Silberstein, L. R., Striegel-Moore, R. H., Timko, C. & Rodin, J. 1988, 'Behavioral and psychological implications of body dissatisfaction: Do men and women differ?' *Sex Roles*, vol. 19, no. 3/4, pp. 219-232.

- Sims, A. C. P. 1988, 'Towards the unification of body image disorders', *The British Journal of Psychiatry*, vol. 153, no. suppl. 2, pp. 51-56.
- Slade, P. D. 1988, 'Body image in anorexia nervosa', *The British Journal of Psychiatry*, vol. 153, no. suppl. 2, pp. 20-22.
- Slade, P. D. 1994, 'Invited essay What is body image?' *Behaviour Research and Therapy*, vol. 32, no. 5, pp. 497-502.
- Slade, P. D. & Russel, G. F. M. 1973, 'Awareness of body dimension in anorexia nervosa: Cross-sectional and longitudinal studies', *Psychological Medicine*, vol. 3, pp. 188-199.
- Smeets, M. A. M. 1999, 'Body size categorization in anorexia nervosa using a morphing instrument', *The International Journal of Eating Disorders*, vol. 25, pp. 451-455.
- Smith, D. B., Johnson, G. O., Stout, J. R., Housh, T. J., Housh, D. J. & Evetovich, T. K. 1997, 'Validity of near-infrared interactance for estimating relative body fat in female high school gymnasts', *International Journal of Sports Medicine*, vol. 18, pp. 531-537.
- Spillman, D. M. & Everington, C. 1989, 'Somatotypes revisited: Have the media changed our perception of the female body image?' *Psychological Reports*, vol. 64, pp. 887-890.
- Springer, E. A., Winzelberg, A. J., Perkins, R. & Taylor, C. B. 1999, 'Effects of a body image curriculum for college students on improved body image', *The International Journal of Eating Disorders*, vol. 26, pp. 13-20.
- Stephens, N. M., Schumaker, J. F. & Sibiya, T. E. 1999, 'Eating disorders and dieting behavior among Australian and Swazi university students', *Journal of Social Psychology*, vol. 139, no. 2, pp. 153-158.
- Stevens, C. & Tiggemann, M. 1998, 'Women's body figure preferences across the life span', *The Journal of Genetic Psychology*, vol. 159, no. 1, pp. 94-102.
- Stevens, J., Cai, J., Pumuk, E. R., Williamson, D. F. & Thun, M. J. 1998, 'The effect of age on the association between body mass index and mortality', *New England Journal of Medicine*, vol. 338, no. 1, pp. 1-7.
- Stewart, T., Williamson, D. A., Smeets, M. A. M. & Greenway, F. L. 2001, 'Body Morph Assessment: Preliminary report on the development of a computerized measure of body image', *Obesity Research*, vol. 9, no. 1, pp. 43-50.
- Striegel-Moore, R. H. & Kearney-Cooke, A. 1994, 'Exploring parents' attitudes and behaviors about their children's physical appearance', *The International Journal of Eating Disorders*, vol. 15, no. 4, pp. 377-385.

- Striegel-Moore, R. H., Silberstein, L. R. & Rodin, J. 1986, 'Toward an understanding of risk factors for bulimia', *The American Psychologist*, vol. 41, pp. 246-263.
- Stunkard, A. J. 1993, 'A history of binge eating', in C. Fairburn & G. T. Wilson, (eds.), *Binge eating: Nature, assessment, and treatment*, The Guildford Press, New York, pp. 15-34.
- Stunkard, A. J., Sorensen, T. & Schulsinger, F. 1983, 'Use of the Danish adoption register for the study of obesity and thinness', *Genetics of Neurological and Psychiatric Disorders*, pp. 115-120.
- Suematsu, H. & Kuboki, T. 1998, 'Sesshokushougai no ekigaku [Jap]', in Y. Ishizawa, (ed.) (*Sesshoku shougai/Kashoku*) *Ronbunshu*, Seiwa shoten, Tokyo, pp. 15-19.
- Suematsu, H., Tokawa, M., Ide, M., Itou, T., Totsuka, Y., Ogata, E. & Kitagawa, H. 1984, *Ekigakuteki chousa kennkyu: Shokukoudou chousahyou EAT oyobi sesshokushougai chousahyou EDI no yuyousei ni tsuite [Jap]*, Kouseishou Shinkeise shokushifushinshou chousa kenkyu han, Tokyo.
- Sugimoto, T., Tsutsumi, M., Fujii, Y., Kawakatsu, M., Negishi, H., Lee, M. C., Tsai, K.-S., Fukase, M. & Fujita, T. 1992, 'Comparison of bone mineral content among Japanese, Koreans, and Taiwanese assessed by Dual-Photon Absorptiometry', *Journal of Bone and Mineral Research*, vol. 7, no. 2, pp. 153-159.
- Suinn, R. M., Ahuna, C. & Khoo, G. 1992, 'The Suinn-Lew Asian self-identity acculturation scale: Concurrent and factorial validation', *Education and Psychological Measurement*, vol. 52, pp. 1041-1046.
- Suinn, R. M., Rickard-Figueroa, K., Lew, S. & Vigil, P. 1987, 'The Suinn-Lew Asian self-identity acculturation scale: An initial report', *Education and Psychological Measurement*, vol. 47, pp. 401-407.
- Sullivan, P. F. 1995, 'Mortality in anorexia nervosa', *The American Journal of Psychiatry*, vol. 152, no. 7, pp. 1073-1074.
- Suzuki, H. & Matsuo, T. 1996, 'Jakunen josei ni okeru himando to taishibouritsu tono kanrensei [Jap]', *Tairyoku Kagaku*, vol. 45, p. 756.
- Suzuki, K., Higuchi, S., Yamada, K., Komiya, H. & Takagi, S. 1994, 'Bulimia nervosa with and without alcoholism: A comparative study in Japan', *The International Journal of Eating Disorders*, vol. 16, no. 2, pp. 137-146.
- Suzuki, M. & Tatsumi, M. 1993, 'Relationship of body -composition types to physical fitness performance for college women', *Japanese Journal of Hygiene*, vol. 47, no. 6, pp. 1041-1049.
- Svendsen, O. L., Haarbo, J., Heitmann, B. L., Gotfredsen, A. & Christiansen, C. 1991, 'Measurement of body fat in elderly subjects by dual-energy x-ray

- absorptiometry, bioelectrical impedance, and anthropometry', *The American Journal of Clinical Nutrition*, vol. 53, pp. 1117-1123.
- Taaffe, D. R. 1992, 'Body composition analysis by dual energy x-ray absorptiometry (Dexa)', *Sports Health*, vol. 10, no. 1, pp. 7-9.
- Taguchi, H. & Nakajima, A. 1995, *Joshi daisei no body image ni kansuru chousa kenkyu [Jap]*, Kagawa Nutrition University.
- Tahara, Y., Moji, K., Aoyagi, K., Nishizawa, S., Yukawa, K., Tsunawake, N., Muraki, S. & Mascie-Taylor, C. G. N. 2002a, 'Age-related pattern of body density and body composition in Japanese males and females, 11 and 18 years of age', *American Journal of Human Biology*, vol. 14, pp. 327-337.
- Tahara, Y., Moji, K., Aoyagi, K., Tsunawake, N., Muraki, S. & Mascie-Taylor, C. G. N. 2002b, 'Age-related pattern of body density and body composition of Japanese men and women 18-59 years of age', *American Journal of Human Biology*, vol. 14, pp. 743-752.
- Tahara, Y., Tsunawake, N., Saeki, S., Yamasaki, M., Katsuno, K. & Yukawa, K. 1993c, 'Body composition (Densitometry-Hydrostatics) and skinfold thickness in senior high school students, aged 15 to 18 [Jap]', *Gakkou Hoken Kenkyu*, vol. 35, no. 10, pp. 492-501.
- Takagi, S. 1998, 'Sesshokushougai-chiryu no tenbou [Jap]', in Y. Ishizawa, (ed.) (*Sesshoku shougai/Kashoku*) *Ronbunshu*, Seiwa shoten, Tokyo, pp. 3-14.
- Takai, S. & Shimaguchi, S. 1986, 'Are height and weight sufficient for the estimation of human body surface area?' *Human Biology*, vol. 58, no. 4, pp. 625-638.
- Takeda, A., Suzuki, K. & Matsushita, S. 1993, 'Prevalence of bulimia nervosa (DSM-III -R) among males and female high school students [Jap]', *Seishin Igaku*, vol. 35, no. 12, pp. 1273-1278.
- Takeda, A., Suzuki, K. & Muramatsu, T. 1996, 'Bulimia symptoms in male college students compared with female students [Jap]', *Rinshou Seishin Igaku*, vol. 25, no. 9, pp. 1083-1089.
- Thompson, J. K. 1995, 'Assessment of body image', in D. B. Allison, (ed.) *Handbook of assessment methods for eating behaviors and weight-related problems-Measures, theory, and research*, SAGE Publications, Thousand Oaks, pp. 119-148.
- Thompson, J. K. & Altabe, M. N. 1991, 'Psychometric qualities of the figure rating scale', *The International Journal of Eating Disorders*, vol. 10, no. 5, pp. 615-619.
- Thompson, J. K. & Connelly, J. J. 1988, 'Experimenter gender and size estimation accuracy', *The International Journal of Eating Disorders*, vol. 7, no. 5, pp. 723-725.

- Thompson, J. K., Coovert, D. L., Pasmán, L. N. & Robb, J. 1993, 'Body image and food consumption: Three laboratory studies of perceived calorie content', *The International Journal of Eating Disorders*, vol. 14, no. 4, pp. 445-457.
- Thompson, J. K., Coovert, M. D., Richards, K. J., Johnson, S. & Cattarin, J. 1995, 'Development of body image, eating disturbance, and general psychological functioning in female adolescents: Covariance structure modeling and longitudinal investigations', *The International Journal of Eating Disorders*, vol. 18, no. 3, pp. 221-236.
- Thompson, J. K. & Spana, R. E. 1988, 'The adjustable light beam method for the assessment of size estimation accuracy: Description, psychometric, and normative data', *The International Journal of Eating Disorders*, vol. 7, no. 4, pp. 521-526.
- Thompson, J. K. & Spana, R. E. 1991, 'Visuospatial ability, accuracy of size estimation, and bulimic disturbance in a noneating-disordered college sample: A neuropathological analysis', *Perceptual and Motor Skills*, vol. 73, pp. 335-338.
- Thompson, J. K. & Thompson, C. M. 1986, 'Body size distortion and self-esteem in asymptomatic, normal weight males and females', *The International Journal of Eating Disorders*, vol. 5, no. 6, pp. 1061-1068.
- Tiggemann, M. & Pickering, A. S. 1996, 'Role of television in adolescent women's body dissatisfaction and drive for thinness', *The International Journal of Eating Disorders*, vol. 20, no. 2, pp. 199-203.
- Tipler, P. A. & Llewellyn, R. A. 1999, *Modern Physics: Online companion*, Available: [<http://www.whfreeman.com/MODPHYSICS/PDF/12-3c.pdf>] (5/2/04).
- Tobe, K., Ogura, T., Tsukamoto, C., Inoue, H., Arata, J. & Matsuura, K. 2002, 'Effect of changes in body mass index on morbidity in non-obese university graduates', *Acta Medica Okayama*, vol. 56, no. 3, pp. 149-158.
- Tomosaka, K., J., L., Maruyama, C., Anh, N. T. L., Lien, D. T. K., Khoi, H. H. & Chuyen, N. V. 2002, 'Dietary patterns and risk factors for Type 2 diabetes mellitus in Fijian, Japanese and Vietnamese populations', *Asia Pacific Journal of Clinical Nutrition*, vol. 11, no. 1, pp. 8-12.
- Tothill, P., Han, T. S., Avenell, A., McNeill, G. & Reid, D. M. 1998, 'Comparisons between fat measurements by dual-energy x-ray absorptiometry, magnetic resonance imaging and underwater weighing', *Applied Radiation and Isotopes*, vol. 49, no. 5/6, pp. 457-459.
- Touyz, S., Russel, J. & Beumont, P. 1996, 'Early intervention and prevention of dieting disorders', in P. Cotton & H. Jackson, (eds.), *Early intervention and*

- prevention in mental health*, Australian Psychological Society Ltd., pp. 109-130.
- Touyz, S. W., Williams, H., Marden, K., Kopec-Schrader, E. & Beumont, P. J. V. 1994, 'Videotape feedback of eating behaviour in patients with anorexia nervosa: Does it normalise eating behaviour?' *Australian Journal of Nutrition and Dietetics*, vol. 51, no. 2, pp. 79-82.
- Tsutsui, S., Nakano, H., Tsuboi, K. & Nakajima, H. 1994, *Daigakusei no shokuhsuukan oyobi shokukoudou ni kansuru kentou [Jap]*, Kouseishou, Tokyo.
- Turner, J. M., Bulsara, M. K., McDermott, B. M., Byrne, G. C., Prince, R. L. & Forbes, D. A. 2001, 'Predictors of low bone density in young adolescent females with anorexia nervosa and other dieting disorders', *The International Journal of Eating Disorders*, vol. 30, pp. 245-251.
- Turner, S. L., Hamilton, H., Jacobs, M., Angood, L. M. & Dwyer, D. H. 1997, 'The influence of fashion magazines on the body image satisfaction of college women: An exploratory analysis', *Adolescence*, vol. 32, no. 127, pp. 603-614.
- Usmiani, S. & Daniluk, J. 1997, 'Mothers and their adolescent daughters: Relationship between self-esteem, gender role identity, and body image', *Journal of Youth and Adolescence*, vol. 26, no. 1, pp. 45-62.
- Valtolina, G. G. 1998, 'Body-size estimation by obese subjects', *Perceptual and Motor Skills*, vol. 86, pp. 1363-1374.
- Van Loan, M. D. 1998, 'Estimates of fat-free mass (FFM) by densitometry, dual energy x-ray absorptiometry (DXA), and bioimpedance spectroscopy (BIS) in Caucasian and Chinese-American women', *Applied Radiation and Isotopes*, vol. 49, no. 5/6, pp. 751-752.
- VanItallie, T. B., Yang, M. U., Heymsfield, S. B., Funk, R. C. & Boileau, R. A. 1990, 'Height-normalized indices of the body's fat-free mass and fat mass: Potentially useful indicators of nutritional status', *American Journal of Clinical Nutrition*, vol. 52, no. 6, pp. 953-959.
- Verkuyten, M. 1990, 'Self-esteem and the evaluation of ethnic identity among Turkish and Dutch adolescents in the Netherlands', *The Journal of Social Psychology*, vol. 130, no. 3, pp. 285-297.
- Wagner, D. R. & Heyward, V. H. 1999, 'Techniques of body composition assessment: A review of laboratory and field methods', *Research Quarterly for Exercise and Sport*, vol. 70, no. 2, pp. 135-149.
- Waller, G. & Matoba, M. 1999, 'Emotional eating and eating psychopathology in nonclinical groups: A cross-cultural comparison of women in Japan and the United Kingdom', *The International Journal of Eating Disorders*, vol. 26, pp. 333-340.

- Wang, J., Heymsfield, S. B., Aulet, M., Thornton, J. C. & Pierson Jr, R. N. 1989, 'Body fat from body density: underwater weighing vs. dual-photon absorptiometry', *American Psychological Society*, p. E829.
- Wang, J., Thompson, J. C., Russel, M., Burastero, S., Heymsfield, S. & Pierson Jr., R. N. 1994, 'Asians have lower body mass index (BMI) but higher percent body fat than do whites: comparisons of anthropometric measurements.' *The American Journal of Clinical Nutrition*, vol. 60, pp. 23-28.
- Wardle, J. 1995, 'The assessment of obesity: Theoretical background and practical advice', *Behavior Research Therapy*, vol. 33, no. 1, pp. 107-117.
- Wardle, J. & Foley, E. 1989, 'Body image: Stability and sensitivity of body satisfaction and body size estimation', *The International Journal of Eating Disorders*, vol. 8, no. 1, pp. 55-62.
- Wardle, J. & Johnson, F. 2002, 'Weight and dieting: Examining levels of weight concern in British adults', *International Journal of Obesity*, vol. 26, pp. 1144-1149.
- Watanabe, H. & Tsubota, Y. 1998, *Shinkeisei shokuyokufushinshou kanja ni okeru seichoukyokusen niyoru seichoukatei no kaiseki [Jap]*, Kouseishou, Tokyo.
- Watanabe, S. 1996, *Daigakusei no body image to shokukoudou ni kansuru chousa [Jap]*, Masters, Kagawa Nutrition Univeristy.
- Watts, J. 2002, 'Japan's fatal obsession with body weight', *The Lancet*, vol. 360, p. 318.
- Welborn, T. A., Dhaliwal, S. S. & Bennett, S. A. 2003, 'Waist-hip ratio is the dominant risk factor predicting cardiovascular death in Australia', *Medical Journal of Australia*, vol. 179, no. 11-12, pp. 580-585.
- Wellens, R., Chumlea, W. C., Guo, S., Roche, A. F. & Reo, N. V. 1994, 'Body composition in white adults by dual-energy x-ray absorptiometry, densitometry, and total body water', *The American Journal of Clinical Nutrition*, vol. 59, pp. 547-555.
- Wells, J. E., Coope, P. A., Gabb, D. C. & Pears, R. 1985, 'The factor structure of the Eating Attitudes Test with adolescent schoolgirls', *Psychological Medicine*, vol. 15, pp. 141-146.
- Wenkam, N. S. & Wolff, R. J. 1970, 'A half century of changing food habits among Japanese in Hawaii', *Journal of American Dietetic Association*, vol. 57, no. 1, pp. 29-32. Retrieved: July, from
- Werkman, A., Deurenberg-Yap, M., Schmidt, G. & Deurenberg, P. 2000, 'A comparison between composition and density of the Fat-Free Mass of young

adult Singaporean Chinese and Dutch Caucasians', *Annals of Nutrition and Metabolism*, vol. 44, pp. 235-242.

Whitehouse, A. M., Freeman, C. P. L. & Annandale, A. 1988, 'Body size estimation in anorexia nervosa', *The British Journal of Psychiatry*, vol. 153, no. suppl. 2, pp. 23-26.

WHO 1995, 'Recommended measurement protocols and derivation of indices', in WHO, (ed.) *Physical status: The use and interpretation of anthropometry*, WHO, Geneva, pp. 424-438.

WHO 1997a, *Obesity epidemic puts millions at risk from related diseases*, Available: [<http://www.who.int/archives/inf-pr-1997/en/pr97-46.html>] (9/1).

WHO 1997b, *Obesity: Preventing and managing the global epidemic*, WHO/NUT/NCD, Geneva.

WHO 2000, *The ICD-10 Classification of Mental and Behavioural Disorders: Clinical description and diagnostic guidelines [Jap]*, 8 edn, Igaku-Shoin, Tokyo.

WHO 2004, 'Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies', *Lancet*, vol. 363, no. 10, pp. 157-163.

WHO/IASO/IOTF 2000, *Asia-Pacific perspective: Redefining obesity and its treatment*, Health Communications Australia Pty Ltd.

Wiederman, M. W. & Pryor, T. L. 2000, 'Body dissatisfaction, bulimia, and depression among women: The mediating role of drive for thinness', *The International Journal of Eating Disorders*, vol. 27, no. 1, pp. 90-95.

Wildes, J. E., Emery, R. E. & Simons, A. D. 2001, 'The roles of ethnicity and culture in the development of eating disturbance and body dissatisfaction: A meta-analytic review', *Clin Psychol Review*, vol. 21, no. 4, pp. 521-551.

Wilfley, D. E., Schreiber, G. B., Pike, K. M., Striegel-Moore, R. H., Wright, D. J. & Rodin, J. 1996, 'Eating disturbance and body image: A comparison of a community sample of adult Black and White women', *The International Journal of Eating Disorders*, vol. 20, no. 4, pp. 377-387.

Wilkinson, H. 2000, *Beyond chaotic eating*, 1 edn, Joshi eiyo daigaku shuppanbu, Tokyo.

Wilkinson, J. Y., Ben-Tovim, D. I. & Walker, M. K. 1994, 'An insight into the personal and cultural significance of weight and shape in large Samoan women', *International Journal of Obesity*, vol. 18, no. 9, pp. 602-606.

Williams, P. A. & Cash, T. F. 2001, 'Effects of a circuit weight training program on the body images of college students', *The International Journal of Eating Disorders*, vol. 30, pp. 75-82.

- Williamson, D. A., Davis, C. J., Bennett, M., Goreczny, A. J. & Gleves, D. H. 1989, 'Development of a simple procedure for assessing body image disturbances', *Behavioral Assessment*, vol. 11, pp. 433-446.
- Williamson, D. A., Womble, L. G., Zucker, N. L., Reas, D. L., White, M. A., Blouin, D. C. & Greenway, F. 2000, 'Body image assessment for obesity (BIA-O): Development of a new procedure', *International Journal of Obesity*, vol. 24, pp. 1326-1332.
- Willmuth, M. E., Leitenberg, H., Rosen, J. C., Fondacaro, K. M. & Gross, J. 1985, 'Body size distortion in bulimia nervosa', *The International Journal of Eating Disorders*, vol. 4, no. 1, pp. 71-78.
- Wilmore, J. H., Buskirk, E. R., DiGirolamo, M. & Lohman, T. G. 1986, 'Body composition-a round table-', *The Physician and Sports Medicine*, vol. 14, no. 3, pp. 144-162.
- Wiseman, C. V., Gray, J. J., Mosimann, J. E. & Ahrens, A. H. 1992, 'Cultural expectations of thinness in women: An update', *The International Journal of Eating Disorders*, vol. 11, no. 1, pp. 85-89.
- Withers, R., Laforgia, J., Heymsfield, S., Wang, Z.-M. & Pillans, R. 1996, 'Two, three and four-compartment chemical models of body composition analysis', in K. Norton & T. Olds, (eds.), *Anthropometrica*, University of New South Wales Press, Marrickville, pp. 199-231.
- Worsley, A. 1981, 'In the eye of the beholder: Social and personal characteristics of teenagers and their impressions of themselves and fat and slim people', *The British Journal of Medical Psychology*, vol. 54, no. Pt 3, pp. 231-242.
- Yoshiike, N., Seino, F., Tajima, S., Arai, Y., Kawano, M., Furuhashi, T. & Inoue, S. 2002, 'Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutrition Survey 1976-95', *Obesity Reviews*, vol. 3, pp. 183-190.
- Yoshinaga, M., Shimago, A., Noikura, Y., Kinou, S., Ohara, T. & Miyata, K. 2002, 'Bodyfat percentage in girls increased steadily with age and percentile rank of body mass index', *Pediatrics International*, vol. 44, pp. 149-152.